

HOMOGENEOUS FLOORING

Trendy+



**Jeoflor**

100%  
25.5%  
Recyclable  
Recycled content

Optimal Indoor  
Air Quality  
~10µg/m³\*  
\*TVOC AT 28 DAYS

PTHALATE  
FREE  
Technology  
\*EXCEPT RECYCLED CONTENT



34-43

UV



100% recyclable

# Trendy+



2055 Opale



2058 Fog




2054 Cloud



2053 Mouse



2052 Ash



2051 Charcoal



2056 Deer




2050 Mid night

## WALL COVERING



3011



3001


# Homogeneous PVC Flooring

2m | 34-43 | UV | 100% recyclable

# Trendy+



2070 Ink blue



2063 Emerald



2075 Lavander




2069 Sky




2066 Forest



2065 Bamboo



2081 Cobalt



2068 Sea Blue



2064 Hunting



2067 Pool



2082 Ocean



2076 Storm

## WALL COVERING



3005



3006

100%  
25.5%  
Recyclable  
Recycled content


Optimal Indoor  
Air Quality  
<10µg/m³\*  
\*TVOC AT 28 DAYS

PHTHALATE  
FREE  
Technology  
\*EXCEPT RECYCLED CONTENT



Dimension: 2.0m x 2.0m x 20m

# Trendy+



2083 Candy



2078 Corn



2073 Vanilla



2079 Capuccino



2080 Espresso



2074 Pumkin



2072 Terracotta




2071 Imperial Red


## WALL COVERING



Dimension: 1m x 2.0m x 20m



3004



3009

# Homogeneous PVC Flooring

2m | 34-43 | UV | 100% recyclable

# Trendy+



2062 Beach



2084 Cream



2061 Sand



2077 Latte



2060 Sahara




2059 Camel



2057 Coffee

## WALL COVERING



3008



3010

# Homogeneous PVC Flooring

Dimension: 2.0mm x 2.0m x 20m

# Trendy+




0043 Sandy Beige



0052 Primrose



0045 Turquoise




0057 Honey




0051 Orange




0047 Emerald Green



0048 Wheat



0054 Sienna



0044 Slate Blue



0056 Apricot




0053 Misty Grey



0050 Royal Blue



0049 Milky Coffee



0055 Steel Grey



0046 Violet



### LCA

- Manufactured in an ISO 14001 and ISO 50001 certified site
- Product specific EPD (Environmental Products Declaration) available
- Eco-designed according to a product specific Life Cycle Analysis
- Contribution to many Green Building Schemes (LEED, HQE, BREEAM)
- Patented surface treatment PUR+ protected to reduce drastically the use of chemical products and water and ensure the lowest environmental impact



### INDOOR AIR QUALITY

- TVOC emissions 100 times better than norm requirements (TVOC < 10 µg/m3 after 28 days)
- Comply with AgBB protocol
- No formaldehyde emission
- Floorscore certified
- M1 certified



### WELLNESS

#### Health

- Antibacterial activity (Inhibits growth > 99%)

#### Comfort

- Walking comfort < 75 dB



### COMPOSITION

#### 100% REACH compliant

- FREE of formaldehyde
- FREE of heavy metals
- FREE of Solvent







### RECYCLABILITY

- 100% recyclable product



### RECYCLED CONTENT

- 100% REACH compliant recycled content

DESCRIPTION			
Total Thickness	EN ISO 24346	2.0mm	
Length / Width	EN ISO 24341	2m x 20m	
Weight	EN ISO 23997	2.0mm: 2800g/m <sup>2</sup>	
CLASSIFICATION			
Fire rating	GB8624-2012	Class	Bfl-s1
Toxic testing	GB18586-2001	-	Good
Electrical resistance	EN1081	Ω	>10 <sup>9</sup> -10 <sup>10</sup>
Slip resistance	EN13893	-	≥ 0.3
Slip resistance wet	DIN51130	Class	R9
PERFORMANCES			
Dimensional stability	BS EN ISO 23999	%	≤ 0.4
Thermal conductivity	EN12667	W/(m.k)	0.03
Castor wheel test	EN425	-	Suitable
Wear resistance	EN660.2	mm <sup>3</sup>	≤ 2.0
Abrasion Group	EN649	group	T
Type binder content	ISO 10581	type	I
Residual group	EN ISO 24343.1	mm	0.03
Colour fastness	EN ISO 105-B02	mm	6
Chemical product resistance	EN ISO 26987	degree	Good
Antibacterial property	EN ISO 846-C	-	No bacterial growth
Flexibility	EN 435	-	Excellent
Hygiene treatment	MRSA	-	Very good
Impact sound reduction	EN ISO 10140/1 EN ISO 717/2	-	Approx.+4DB
Surface treatment	-	UV Protected	PUR+ Iodine stain free
CE MARKING			
	EN 14041		 DS  Bfl-s1 



Be connected!



#Jeoflor



## Jeoflor

Our related products!



Floor  
Self Leveling



Wall Coverings  
& Protections




Skirting &  
Profiles



Handrails

# Jeoflor

Alptahls GmbH, Bürgergasse 4, 8330 Feldbach, Austria. 

Tel. +43 (0)3152 370 49

info@jeoflor.com www.jeoflor.com

Toll Free : 1800 202 8498